



**NOTES:**

- 1. ALL RESISTANCE VALUES IN OHMS
- 2. 600BAUD-0.00047uF
- 3. 300BAUD-0.01uF
- 4. 2400BAUD-.0047uF

FOR "MIC" INPUT  
LEVEL, R14 OR R15  
= 1K OHM

QTY	CODE	PART OR IDENTIFYING NO.	MANUFACTURE OR DESCRIPTION

<b>QUANTITY</b> <small>INDICATE DIFFERENT SPECIFIED DIMENSIONS AND TOLERANCES ARE IN INCHES FRACTIONS DECIMALS ANGLES</small>		<b>PART OR IDENTIFYING NO.</b>		<b>MANUFACTURE OR DESCRIPTION</b>	
<b>APPROVALS:</b> DESIGNER: <b>DAVID F. GIBBS</b> CHECKED: <i>[Signature]</i> DATE: <b>9/2/76</b> <small>DATE</small>		<b>CONTRACT NO.</b>		<b>PARTS LIST</b>	
<b>MATERIAL</b>		<b>CONTRACT NO.</b>		<b>POLYMORPHIC SYSTEMS</b> GOLETA, CALIF.	
<b>FINISH</b>		<b>CONTRACT NO.</b>		<b>SCHEMATIC DIAGRAM</b>	
<b>APPLICATION</b>		<b>CONTRACT NO.</b>		<b>CASSETTE INTERFACE</b>	
<b>NOT SCALE DRAWING</b>		<b>CONTRACT NO.</b>		<b>SIZE</b> CODE SHEET NO. DRAWING NO.	
<b>©1976 I.P.C.</b>		<b>CONTRACT NO.</b>		<b>100-045-312 C</b>	
<b>SCALE NONE</b>		<b>CONTRACT NO.</b>		<b>SHEET 1 of 1</b>	